

QUICKSILVER®
INFLATABLES
MERCURY
QUICKSILVER
WWW.QUICKSILVER-INFLATABLES.COM



QUICKSILVER INFLATABLES are more than just dinghies or tenders, they are the perfect choice when you want portable, affordable fun. Quick to set up and quick to stow, most Quicksilver Inflatables can easily fit in a car boot or boat locker due to their portability and lightweight construction.


Whether you need a ship-to-shore tender craft or a lightweight, nimble, and affordable boat for family outings at the lake or beach, Quicksilver Inflatable Boats are up to the task. With a variety of sizes, flooring and hull designs available, you are sure to find the one perfect for whatever use you have in mind.

QUICKSILVER
INFLATABLES


MAIN FEATURES 4
TENDY 200 / 240 7
AIRDECK 250 / 300 / 320 9
SPORT 250 / 300 / 320 11
SPORT HD 365 / 420 / 470 13
ALU-RIB 270 / 290 15
ALU-RIB 320 / 350 / 380 / 420 17
ALU-RIB HYPALON 320 / 350 19
RANGES OVERVIEW 22
SPECIFICATIONS 24
CONSOLES 26
OPTIONAL EQUIPMENTS 28
ACCESSORIES 30
WISH LIST 32
POWERED BY MERCURY 34

Powered by MERCURY

MAIN FEATURES




1 ADJUSTABLE (SLIDING) BENCH



2 INFLATING/DEFLATING VALVE
WITH STICKER FOR THE PRESSURE




3 STRONG AND SECURED ROWLOCK




4 LARGE RUBBING STRAKE



5 LARGE ADJUSTABLE NYLON STRAP
FOR HOLDING FUEL TANK



6 SLIDING DRAIN VALVE


7
3
2
5
1
3
6
7
QUICKSILVER
8
4
VELCRO HOLDERS
7
LIFELINE
8

Tendy. Light, compact and reliable. The most practical for beaching!

- 0.7mm White PVC
- Large black rubbing strake
- Adjustable bench seat
- Air Floor or Slatted Floor
- Large adjustable nylon strap for holding fuel tank (Air Floor models)
- Inflatable keel for better performance (Air Floor models)
- Keel protection (Air Floor models)
- Tow D-rings
- External lifeline
- Carrying bag
- Double action hand-pump
- Repair-kit (without glue)
- Aluminium oars

	AIR FLOOR		SLATTED FLOOR	
TENDY	**200**	**240**	**200**	**240**
Length (m)	2.0	2.4	2.0	2.4
Weight (kg)	16.8	18.8	21.8	23.8
Max. persons	2	3	2+1	3
Max. hp	3.5	4	3.5	4
Packing size (cm)	93x47x20	98x48x25	93x47x20	98x48x25









White

TENDY 200 /240



AirDeck. Luxury and spacious tender for your boat!

- 0.9 mm white PVC
- Large blue and white rubbing strake
- Adjustable bench seat
- AirDeck inflatable floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double action hand-pump
- Repair-kit (without glue)
- Aluminium oars

AIRDECK	250	300	320
Length (m)	2.49	3.00	3.20
Weight (kg)	28	37	42
Max. persons	3+1	4	5
Max. hp	5	15	20
Packing size (cm)	100x54x25	102x55x24	108x57x25









White

AIRDECK
250 / 300 / 320



Sport. Powerful and compact, they will take you on adventure!



- 0.9 mm medium Grey PVC
- Large black and white rubbing strake
- Adjustable bench seat
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double action hand-pump
- Repair-kit (without glue)
- Aluminium oars





SPORT	250	300	320
Length (m)	2.49	3.00	3.20
Weight (kg)	35	49	54
Max. persons	3+1	4	5
Max. hp	8	15	20
Packing size (cm)	98x57x22	115x57x22	113x60x25



Medium Grey

SPORT
250 / 300 / 320

320 SPORT

Aluminium Floor



Sport HD. The perfect companion for fishing and diving fans!

- 1.2 mm Medium Grey or Red PVC
- Large black and red rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Reinforced tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double action hand-pump
- Repair-kit (without glue)
- Aluminium paddles









Red

SPORT HD	365	420	470
Length (m)	3.65	4.20	4.70
Weight (kg)	79	115	129
Max. persons	6	8	10
Max. hp	25	40	60
Packing size (cm)	135x74x40	135x74x43	135x74x46

SPORT HD


365 / 420 / 470



ALU-RIB. Luxury and spacious tender for your boat!

- 0.9 mm white PVC and 2.5 mm hull or
  0.9 mm dark grey PVC and 2.5 mm hull
- Large black or dark-blue rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Reinforced tow D-rings
- Multiple carrying handles
- Double action hand-pump
- Repair-kit (without glue)
- Aluminium oars

ALU-RIB PVC	270	290
Length (m)	2.70	2.90
Weight (kg)	38	41
Max. persons	3	4
Max. hp	10	15









White

ALU-RIB
270 / 290



ALU-RIB. Comfortable and stable in all weather conditions!



- 0.9 mm white PVC and 2.5 mm hull or
  0.9 mm dark grey PVC and 2.5 mm hull
- Large black or dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Reinforced tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double action hand-pump
- Repair-kit (without glue)
- Aluminium oars or paddles








Dark Grey

ALU-RIB PVC	320	350	380	420
Length (m)	3.2	3.5	3.8	4.2
Weight (kg)	61.3	69	92	115
Max. persons	5	6	7	8
Max. hp	20	25	30	40

ALU-RIB

320 / 350 / 380 / 420

380 ALU-RIB







ALU-RIB Hypalon. Premium companion for warmer climates!

- 0.84 mm cream white hypalon and white 2.5 mm hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Teak-look anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Reinforced Tow D-rings
- External lifeline
- Multiple Hypalon carrying handles
- Keel protection
- Double action hand-pump
- Repair-kit (without glue)
- Aluminium paddles
- Bravo overpressure relief valve

ALU-RIB Hypalon	320	350
Length (m)	3.2	3.5
Weight (kg)	66.3	73.4
Max. persons	5	6
Max. hp	20	25









Cream White

ALU-RIB Hypalon

320 / 350





EXPLORE MORE



RANGES OVERVIEW




TENDY *200 / 240*



AIRDECK *250 / 300 / 320*



SPORT *250 / 300 / 320*



ALU-RIB *270 / 290/ 320*


SPORT HD
365 / 420 / 470
350 / 380 / 420

SPECIFICATIONS

	MODELS	FLOOR	DESIGN CATEGORY	LENGTH (M)	BEAM (CM)	WEIGHT (KG)	PERSONS CAPACITY
TENDY	200 TENDY	Slatted floor	D	2.00	134	21.8	2
		Air Floor	D	2.00	134	16.8	2+1
	240 TENDY	Slatted floor	D	2.40	134	23.8	3
		Air Floor	D	2.40	134	18.8	3
AIRDECK	250 AIRDECK	Air Floor	D	2.49	152	28	3+1
	300 AIRDECK	Air Floor	C	3.00	152	37	4
	320 AIRDECK	Air Floor	C	3.20	152	42	5
SPORT	250 SPORT	Aluminium	D	2.49	152	35	3+1
	300 SPORT	Aluminium	C	3.00	152	49	4
	320 SPORT	Aluminium	C	3.20	152	54	5
	365 SPORT HD	Aluminium	C	3.65	170	79	6
	420 SPORT HD	Aluminium	C	4.20	192	115	8
	470 SPORT HD	Aluminium	C	4.70	192	129	10
ALU-RIB PVC	270 ALU-RIB	V-floor	D	2.70	163	38	3
	290 ALU-RIB	V-floor	D	2.90	163	41	4
	320 ALU-RIB	Aluminium	C	3.20	163	61.3	5
	350 ALU-RIB	Aluminium	C	3.50	163	69	6
	380 ALU-RIB	Aluminium	C	3.80	169	92	7
	420 ALU-RIB	Aluminium	C	4.20	169	115	8
ALU-RIB Hypalon	320 ALU-RIB	Aluminium	C	3.20	163	66.3	5
	350 ALU-RIB	Aluminium	C	3.50	163	73.4	6

MAX. CAPACITY LOAD (KG)	MAX. ENGINE WEIGHT (KG)	MAXI. POWER (HP)	TUBE DIAMETER (CM)	NUMBER OF AIR CHAMBERS	TRANSOM HEIGHT	COLOURS
330	20	3.5	36	3	S	
330	20	3.5	36	3+Keel+Floor	S	
360	25	4	36	3	S	
390	25	4	36	3+Keel+Floor	S	
400	35	5	42	3+Keel+Floor	S	
425	50	15	42	3+Keel+Floor	S	
475	60	20	42	3+Keel+Floor	S	
400	40	8	42	3+Keel	S	
425	50	15	42	3+Keel	S	
475	60	20	42	3+Keel	S	
725	80	25	44	3+Keel	S	
1100	100	40	50	3+Keel	L	
1300	125	60	50	5+Keel	L	
370	45	10	42	3	S	
480	50	15	42	3	S	
570	60	20	42	3	S	
680	80	25	42	3	S	
740	90	30	45	3	S	
1100	100	40	45	4	S	
570	60	20	42	3	S	
680	80	25	42	3	S	

Medium Grey



CONSOLES



1-PERSON
PILOT CONSOLE
FCT725



2-PERSON
PILOT CONSOLE
FCT880



JOCKEY
CONSOLE
SU400

CONSOLE COLORS	●	●	●	●	●	●
PART NUMBERS	8M0162901	8M0162900	8M0162903	8M0162902	8M0162905	8M0162904
CUSHION COLORS	● ●	● ●	● ●	● ●	● ●	● ●

NO. PERSONS	1	2	1
CONSOLE WEIGHT	25 kg	27 kg	25 kg
CONSOLE LENGTH	91.5 cm	95 cm	116 cm
CONSOLE HEIGHT	82 cm	85 cm	91 cm
CUSHION SEAT WIDTH	72.5 cm	88 cm	27 cm
BOX SEAT WIDTH	72.5 cm	72.5 cm	40 cm
SEAT HEIGHT	50 cm	50 cm	40 cm

QUICKSILVER 320 ALU-RIB	•	•	
QUICKSILVER 350 ALU-RIB	•	•	•
QUICKSILVER 380 ALU-RIB	•	•	•
QUICKSILVER 420 ALU-RIB	•	•	•



STEERING CONSOLE **SU400**



1-PERSON SEATBENCH **FCT550** FOR STEERING CONSOLE



1-PERSON SEATBENCH **FCT725** FOR STEERING CONSOLE



2-PERSON SEATBENCH **FCT880** FOR STEERING CONSOLE

●	●	●	●	●	●	●	●
8M0162909	8M0162908	8M0162907	8M0162906	8M0168453	8M0168454	8M0165076	8M0165061
● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●
2		1		1		2	
17 kg		15.6 kg		18 kg		20.7 kg	
66 cm		35 cm		35 cm		35 cm	
89 cm		78 cm		83 cm		83 cm	
40 cm		55 cm		72.5 cm		88 cm	
40 cm		55 cm		72.5 cm		72.5 cm	
36 cm		45 cm		50 cm		50 cm	
•		•		•		•	
•		•		•		•	
•		•		•		•	

OPTIONAL EQUIPMENTS



"LEATHER-LOOK" BOW CUSHION FOR ALU-RIBS

8M0162896 - Grey-white
8M0168455 - Black-grey



GREY SEATBAG WITH CUSHION

8M0162897 - 80x20 cm
8M0162898 - 85x20 cm
8M0162899 - 90x20 cm
8M0175528 - 105x20 cm
8M0175529 - 120x20 cm



PRESSURE GAUGE FOR HAND-PUMP

8M0161869




DOUBLE ACTION HAND-PUMP (STANDARD)

8M0148926

ACCESSORIES





ELECTRICAL
Be seen and be safe with our Navigation light kit and protect your battery from water splashes.

FISHING
Enjoy your time on the water fishing with our selection of rod holders and folding net.










FUEL
Attwood Fuel tanks are perfect for use with any outboards and are easy to carry out for refuelling.

LIFEJACKET
The Mercury automatic lifejacket and the Quicksilver lifejackets have an ergonomic design and are lightweight.









MOORING
Attwood's folding anchors are ideal for inflatable boats and folds up easily for storage. Our Marine ropes offers high strenght-to-weight and meet the needs of any boater.



PUMP

Safely remove unwanted water or other liquids from your boat with our hand bilge pump.





SAFETY

Reboard safely and comfortably with our wide range of ladders.





STORAGE

Store your belongings with our dry bags and transport your inflatable boat with the lightweight launching wheels.





ENGINE

Give your outboard a performance boost and improve the boat stability and handling.

WISH LIST

PART NUMBER	DESCRIPTION	SPECIFICATIONS	YOUR SELECTION
	ELECTRICAL		
14196-7	Portable navigation light kit	352 x 184 x 267 mm	☐
9076-1	Power battery box	-	☐
9084-1	Vented battery box	381 x 398 x 247 mm	☐
9067-1	Vented battery box	352 x 184 x 267 mm	☐
	FISHING		
12773-2	Folding net	Medium	☐
5017-6	Inflatable rod holder adapter plate	-	☐
5014-4	Black rod holder	-	☐
5010W4	White rod holder	-	☐
	FUEL		
8803i2	Fuel tank without gauge	11.4 L	☐
8806iG2	Fuel tank with gauge	23.7 L	☐
8812iG2	Fuel tank with gauge	45.5 L	☐
93806UUS7	Universal fuel line kit	-	☐
11526-3	Strap set for fuel tank	12 L and 23 L	☐
11512-3	Strap set for fuel tank	46 L	☐
	LIFEJACKET		
20811279	Mercury automatic lifejacket junior	100N	☐
20811246	Quicksilver gulf lifejacket adult	100N	☐
20811247	Quicksilver gulf lifejacket adult (bag with 4pcs)	100N	☐
20811249	Mercury automatic lifejacket adult	165N	☐
	MOORING		
11964-1	Grapnel folding anchor	1.36 kg	☐
11966-1	Grapnel folding anchor	2.26 kg	☐
11968-1	Grapnel folding anchor	3.4 kg	☐
77203004	Grapnel folding anchor	4 kg	☐
77203006	Grapnel folding anchor	6 kg	☐

PART NUMBER	DESCRIPTION	SPECIFICATIONS	YOUR SELECTION
11711-7	Premium 3-strand twisted nylon dock line white	3 m - ∅ 10 mm	☐
11706-7	Premium 3-strand twisted nylon dock line white	4,5 m - ∅ 12 mm	☐
11734-1	Premium twisted nylon anchorline white	30 m - ∅ 10 mm	☐
11708-1	Premium twisted nylon anchorline white	45 m - ∅ 10 mm	☐
	PUMP		
11596-2	Hand bilge pump	with hose 80 cm	☐
	SAFETY		
11830-2	Bailer safety kit	-	☐
79625102	2 steps inflatable boarding ladder	25 x 99 cm	☐
79625103	3 steps inflatable boarding ladder	25 x 110 cm	☐
79602103	3 steps rope ladder	29 x 11.5 cm	☐
79602104	4 steps rope ladder	29 x 14 cm	☐
11865-4	5 steps rope ladder	29 x 16.5 cm	☐
	STORAGE		
11894-2	Heavy-duty dry bag	40 L	☐
11897-2	Heavy-duty dry bag	20 L	☐
85540174	Launching wheels stern mounting	-	☐
	CLEANING PRODUCTS		
30102EU1	Inflatable boat cleaner and protectant	650 ml	☐
11807-2	2 in 1 telescopic brush kit with water on/off switch and boat hook attachment		☐
	ENGINE		
9400-7	Hydro-stabilizer for outboards	50 hp →	☐
9401-7	Hydro-stabilizer for outboards	→ 50 hp	☐

POWERED BY MERCURY

EXPERIENCE THE BEST IN BOATING
When you rig your Quicksilver Inflatables boat with a Mercury Outboard, you're not just getting the best power available. You're getting an experienced team of boating enthusiasts who are dedicated to taking care of you. No matter how you want to use your boat fishing, cruising or just relaxing on a sunny day. Everyone at Mercury is here to make sure each minute you spend on the water is unforgettable.



2.5 – 6hp

BEING LIGHT AND AFFORDABLE ISN'T THE WHOLE STORY
For outboard engines in this horsepower range, portability is key and Mercury's 2.5 – 6 hp FourStrokes are among the lightest outboards in this class. Every Mercury portable FourStroke is packed full of features, such as our automatic reverse locking system to our convenient integral fuel tanks.

8 – 9.9hp



STILL THE LIGHTEST IN THEIR CLASS
Mercury's 8–9.9 hp FourStrokes are still the lightest in their class, but being lightweight doesn't mean cutting corners. Our 8–9.9 hp FourStrokes feature a convenient multifunction tiller handle that provides easy one-hand shifting operation.



15 – 20hp

GET MORE OF EVERYTHING

More power. More control. More comfort. The Mercury 20 hp and 15 hp FourStroke outboards are designed to improve every minute of your time on the water.

AMBIDEXTROUS TILLER

The centre-mounted tiller provides simple horizontal adjustment and reversible throttle grip rotation for port or starboard installation.

25 – 30hp

LOW END TORQUE

These 25 – 30 hp FourStrokes may be small on horsepower, but they're big on displacement. Featuring loads of strong, low end torque, these outboards have the power needed to get you up on plane with immediate throttle response and quick acceleration

Powered by MERCURY

QUICKSILVER®
INFLATABLES

2021 MODELS



QUALITY SYSTEM CERTIFICATION
DNV·GL
ISO 9001

The quality system of Brunswick Marine *in* EMEA is ISO 9001 certified

© 2021 Brunswick Marine in EMEA. All Rights Reserved. Part #: 9M0101901

Brunswick Marine in EMEA continuously explores means to improve the products it designs, manufactures and distributes. Every effort is made to produce sales and service litreature which is current. Changes to specifications of engines, boats and accessories are ongoing.

This brochure should not be regarded as a precise guide to the latest specifications. This brochure is also not an offer for sales of any particular engine, boat or accessory. Distributors and dealers are not agents of Brunswick Marine in EMEA or one of its affiliates and they have no authority to bind Brunswick Marine in EMEA by any express undertaking or representation, including but not limited to representations of product, sales, applications or service nature.

Not all products are available in all countries and some are available only in limited quantities. Some products shown in this catalogue are equipped with optional accessories. Please see your local dealer.